

Maximum Power Point Tracking (MPPT) Techniques for Solar PV Systems

R.S.Bihade¹, Buddhapriy .B.Gopnarayan², G.J.Rajput³

^{1,2,3} Assistant Professor, Electrical Engineering, Padm. Dr. V.B. Kolte College of Engineering Malkapur,
Maharashtra, India

DOI: 10.5281/zenodo.19290536

ABSTRACT

Maximum Power Point Tracking (MPPT) techniques are essential for optimizing the power output of solar photovoltaic (PV) systems under varying environmental conditions such as solar irradiance and temperature fluctuations. These techniques ensure that PV systems operate at their maximum power point (MPP), thereby maximizing energy extraction and improving overall system efficiency. MPPT methods fall into three main categories: conventional techniques (such as Perturb and Observe and Incremental Conductance), artificial intelligence-based methods (including Fuzzy Logic Control, Artificial Neural Networks, and ANFIS), and metaheuristic optimization algorithms (such as Particle Swarm Optimization, Grey Wolf Optimizer, and Cuckoo Search).

Conventional MPPT methods like Perturb and Observe (P&O) are widely adopted due to their simplicity and cost-effectiveness, though they suffer from oscillations around the MPP and slower tracking speeds. In contrast, AI-based techniques demonstrate superior performance with tracking efficiencies approaching 99%, faster response times, and minimal oscillations, making them particularly effective under dynamic environmental conditions and partial shading scenarios.

Keywords:- MPPT, PV, FLC, ANN, ANFIS

1. KEY MPPT TECHNIQUES AND PERFORMANCE

1.1 CONVENTIONAL METHODS

Perturb and Observe (P&O): This method operates by perturbing the voltage of the PV array and observing the response in power output [6]. While simple to implement, P&O exhibits significant oscillations around the MPP and can fail to track the global maximum power point under partial shading conditions [7]. Studies show that P&O achieves accuracies around 97.6% but with notable power losses due to oscillations [8].

Incremental Conductance (INC): The INC method implements the slope of the power-voltage curve to incrementally adjust the operating point [4]. It shows faster convergence to the MPP and better tracking precision compared to P&O, especially under dynamic irradiation conditions [6]. However, it still demonstrates moderate oscillations and longer settling times, with efficiencies up to 99.7% [1].

1.2 ARTIFICIAL INTELLIGENCE-BASED METHODS

Fuzzy Logic Control (FLC): Fuzzy Logic algorithms demonstrate exceptional performance with minimal oscillations and high efficiency under varying conditions [1]. Research indicates that Fuzzy Logic achieved 97.2% tracking efficiency and delivered 350W of power from a 365W panel at 1000W/m² irradiance, outperforming other conventional methods [4]. The technique accommodates the intricate and non-linear characteristics inherent in PV systems, facilitating dynamic attainment of the optimal operating point [9].




Fig -1: Fuzzy Logic Control System

Artificial Neural Networks (ANN): ANN-based MPPT techniques provide faster response times and fewer oscillations around the MPP compared to traditional methods [2]. The proposed ANN-MPPT approach achieves the highest MPPT efficiency at 98.16% with the shortest tracking time of 1.3 seconds [5]. Neural network methods outperform traditional approaches in dynamic environments by leveraging their learning capabilities to adapt to changes in solar irradiation and temperature [10].

Adaptive Neuro-Fuzzy Inference System (ANFIS): ANFIS combines the selectivity of fuzzy logic with the training capabilities of artificial neural networks, resulting in superior computation and robust response [11]. Studies demonstrate that ANFIS-based controllers provide more stable and faster dynamic responses, reducing oscillations around the MPP compared to conventional Incremental Conductance techniques [9]. ANFIS achieves tracking efficiencies of 98.6% with convergence times significantly lower than other methods [8].

1.3 METAHEURISTIC OPTIMIZATION ALGORITHMS

Particle Swarm Optimization (PSO): PSO has been used as a metaheuristic method showing promise for MPPT applications [3]. When combined with conventional methods like P&O, PSO optimization can achieve accuracies up to 99.6% by dynamically adjusting step sizes according to solar irradiance [12]. However, standalone PSO achieved 255W under partial shading compared to Fuzzy Logic's 350W [4].

Grey Wolf Optimizer (GWO): The combination of SuperTwisting Algorithm with Grey Wolf Optimizer shows significantly faster convergence speeds with rise times of 0.0129 seconds and average efficiency of 99.33% [13]. This approach reduces power fluctuations with lower RMSE and standard deviation compared to other methods [13].

Flower Pollination Algorithm (FPA): FPA integrates global and local search processes, enabling identification of the maximum power point despite fluctuations in irradiance levels [14]. The method exhibits superior tracking capabilities with enhanced accuracy and speed compared to conventional MPPT techniques [14].




Fig -2: Application of Flower Pollination Algorithm and its Comparative Analysis for MPPT of Solar Panels

2. PERFORMANCE UNDER PARTIAL SHADING CONDITIONS

Partial shading presents a significant challenge for MPPT systems, as the PV curve exhibits multiple local maxima with only one global maximum power point [7]. Conventional methods like P&O can easily be trapped in local maximum points instead of detecting the global one [15]. Advanced techniques like Fuzzy Logic, PSO, and metaheuristic algorithms are specifically designed to address these limitations [4].

Research demonstrates that under partial shading conditions, the Giza Pyramid Construction algorithm reduced optimization time to 41ms and settling time to 93ms with minimized output ripples of 0.092% [16]. Similarly, hybrid approaches combining ANN, Variable Step P&O, and Fuzzy Logic show tracking speeds less than 0.1 seconds with tracking efficiency greater than 99.65% and oscillations around steady state less than 2 Watts [17].

3. COMPARATIVE ANALYSIS AND KEY FINDINGS

A comprehensive multi-criteria decision-making analysis comparing various MPPT methods reveals that AI techniques consistently achieve tracking efficiencies of almost 99% with quick and efficient tracking speeds [3]. The comparison shows that while conventional techniques like INC and P&O achieved accuracies of 94.3% and 97.6% respectively, AI-based techniques such as Fuzzy-PSO, ANN, ANFIS, and ANN-PSO achieved accuracies ranging from 98% to 99.6% [8].

Studies evaluating different MPPT algorithms under identical climatic conditions demonstrate that despite initial high oscillations, sophisticated methods like the Simplified Model-Based State Estimation achieve efficiencies up to 99.9% [1]. The Incremental Conductance method exhibited moderate oscillations and longer times to reach the MPP with efficiencies up to 99.7%, while P&O Variable Step method outperformed the Fixed Step method in both convergence speed and minimizing oscillations [1].

4. CONCLUSION

Maximum Power Point Tracking techniques are crucial for maximizing the efficiency of solar photovoltaic systems under variable environmental conditions [18]. The evolution from conventional methods to AI-based and metaheuristic optimization techniques represents a significant advancement in PV system performance [19]. While conventional methods like P&O and INC offer simplicity and cost-effectiveness, they suffer from oscillations, slower tracking speeds, and difficulty handling partial shading conditions [20].

Artificial intelligence-based methods, including Fuzzy Logic Control, Artificial Neural Networks, and ANFIS, demonstrate superior performance with tracking efficiencies approaching 99%, faster response times, and better adaptability to dynamic environmental conditions [21]. These intelligent methods provide enhanced accuracy, responsiveness, and efficiency compared to traditional approaches, though they require higher computational resources and more complex implementation [22].

Metaheuristic optimization algorithms offer exceptional ability to traverse the intricate and non-linear attributes of PV systems, enabling extraction of the highest possible power output across different environmental situations [19]. Hybrid approaches combining multiple techniques show the most promising results, achieving tracking efficiencies greater than 99.65% with minimal oscillations and rapid response times [17].

The choice of MPPT technique depends on several factors including tracking speed, efficiency, cost, stability, complexity of implementation, and specific application requirements [18]. For uniform irradiation conditions, conventional methods may suffice, but for partial shading scenarios and dynamic environments, AI-based and metaheuristic algorithms are essential for achieving optimal performance [23]. Future research directions include optimizing computational efficiency, enhancing grid security for grid-connected systems, and developing more robust hybrid techniques that balance performance with implementation complexity and cost [22].

The comparative studies reveal distinct performance characteristics across different MPPT techniques when evaluated through graphical analysis. Simulation results demonstrate that the P&O Variable Step method outperforms the Fixed Step method in both convergence speed and minimizing oscillations when tracking the MPP [1]. Power-voltage (P-V) curves under partial shading conditions show multiple peaks, where conventional methods frequently converge to local maxima rather than the global maximum, resulting in power losses ranging from 30-50% compared to optimized AI-based approaches [7].

Experimental validation conducted through MATLAB/Simulink simulations and hardware-in-the-loop testing shows that ANN-based MPPT achieves the shortest tracking time of 1.3 seconds with minimal power fluctuations [5]. The SuperTwisting Algorithm combined with Grey Wolf Optimizer exhibits a rise time of 0.0129 seconds, significantly outperforming Fuzzy Logic Control (0.2638 seconds) based on transient response graphs [13]. Efficiency curves plotted under varying irradiance conditions demonstrate that ANFIS and neural network methods maintain stable output with less than 2W oscillations at steady state, while P&O shows fluctuations exceeding 10W [17].

Performance evaluation under the EN 50530 European Efficiency Test standard confirms that hybrid AI techniques achieve dynamic tracking efficiencies exceeding 99.6%, representing a substantial improvement over conventional methods [24]. Comparative bar graphs and efficiency plots indicate that while implementation complexity increases with advanced methods, the energy harvesting gains justify the additional computational requirements for most grid-connected and standalone PV applications [25].

This comprehensive analysis demonstrates that the continuous evolution of MPPT techniques—from simple conventional algorithms to sophisticated AI-driven and hybrid approaches—has significantly enhanced solar PV system performance, making renewable energy systems more efficient, reliable, and economically viable for widespread adoption [18].

5. ACKNOWLEDGEMENT

I express my sincere gratitude to **Respected Principal Dr. A. W. Kharche Sir** and **Respected Head of Department Prof. N. A. Kharche Sir** for granting permission, encouragement, and continuous support for carrying out this research work and paper submission.

6. REFERENCES

- [1] H. Ramadan, A. I. Elrefaei, H. Ziedan, and A. A. Z. Diab, "A comprehensive and comparative investigation of maximum power point tracking algorithms for photovoltaic systems," *International Middle East Power Systems Conference*, 2024.
- [2] M. Boudouane, L. Elmahni, R. Zriouile, and S. A. E. Ouahab, "Advancing solar energy harvesting: Artificial intelligence approaches to maximum power point tracking," *International Journal of Power Electronics and Drive Systems (IJPEDS)*, 2025.

- [3] M. H. Ali, M. Zakaria, and S. El-Tawab, "A comprehensive study of recent maximum power point tracking techniques for photovoltaic systems," *Scientific Reports*, 2025.
- [4] P. A. Gbadega, O. Balogun, and K. Akindeji, "Comparative assessment of MPPT techniques for solar PV systems under uniform insolation and partial shading conditions," *2025 33rd Southern African Universities Power Engineering Conference (SAUPEC)*, 2025.
- [5] A. Abouzeid, H. Eleraky, A. Kalas, R. Rizk, M. Elsakka, and A. Refaat, "Experimental validation of a low-cost maximum power point tracking technique based on artificial neural network for photovoltaic systems," *Scientific Reports*, 2024.
- [6] T. S. D. Singh, S. D. Singh, R. Laishram, W. Nongpoknganba, C. N. Meetei, and P. A. Luwang, "Implementation and comparison between MPPT techniques: P&o and incremental conductance in PV systems using boost converter," *International Conference on Energy, Power and Environment*, 2025.
- [7] A. Khalid, S. Mekhilef, M. Seyedmahmoudian, A. Stojcevski, and S. Ahmed, "Performance analysis of MPPT techniques for photovoltaic systems under partial shading conditions," *Australasian Universities Power Engineering Conference*, 2025.
- [8] S. A. Sarang *et al.*, "Maximizing solar power generation through conventional and digital MPPT techniques: A comparative analysis," *Scientific Reports*, 2024.
- [9] Y. Trkay and A. Yksek, "Investigating the potential of an ANFIS-based maximum power point tracking controller for solar photovoltaic systems," *IEEE Access*, 2025.
- [10] T. Robert and O. Onep, "Artificial intelligence-based maximum power point tracking for standalone solar photovoltaic systems: Enhancing efficiency and adaptability," *IDOSR JOURNAL OF EXPERIMENTAL SCIENCES*, 2025.
- [11] M. R. Javed, A. Waleed, U. S. Virk, and S. Z. ul Hassan, "Comparison of the adaptive neural-fuzzy interface system (ANFIS) based solar maximum power point tracking (MPPT) with other solar MPPT methods," *2020 IEEE 23rd International Multitopic Conference (INMIC)*, 2020.
- [12] M. H. Ibrahim, S. P. Ang, M. N. Dani, M. I. Rahman, R. Petra, and S. M. Sulthan, "Optimizing step-size of perturb & observe and incremental conductance MPPT techniques using PSO for grid-tied PV system," *Institute of Electrical and Electronics Engineers*, 2023.
- [13] N. Deghfel, A. Badoud, A. A. Al-Ahmadi, M. Bajaj, I. Zaitsev, and S. Ghoneim, "Improving maximum power point tracking efficiency in solar photovoltaic systems using supertwisting algorithm and grey wolf optimizer," *IET Renewable Power Generation*, 2024.
- [14] S. J. K. Balasubramanian, S. Kamachi, B. Thamizhkani, A. Sundaramurthy, and V. Dineshraj, "A bio-inspired maximum power point tracking strategy utilizing the flower pollination algorithm for improved photovoltaic system efficiency," *International Conference Electrical Energy Systems*, 2025.
- [15] K. Bentata and T. Benslimane, "Development of rapid and reliable cuckoo search algorithm for global maximum power point tracking of solar PV systems in partial shading condition," *Archives of Control Sciences*, 2023.
- [16] K. Sonam, B. R., and K. Natarajan, "Optimized maximum power point tracking using giza PyramidConstruction algorithm for photovoltaic systems," *Recent Advances in Electrical & Electronic Engineering (Formerly Recent Patents on Electrical & Electronic Engineering)*, 2024.
- [17] M. Z.-E. Masry, A. Mohammed, F. Amer, and R. I. Mubarak, "New hybrid MPPT technique including artificial intelligence and traditional techniques for extracting the global maximum power from partially shaded PV systems," *Sustainability*, 2023.
- [18] A. Badawi, I. M. Elzein, K. Matter, C. El-bayeh, H. Ali, and A. Zyoud, "A state-of-the-art comprehensive review on maximum power tracking algorithms for photovoltaic systems and new technology of the photovoltaic applications," *Energies*, 2025.
- [19] S. J. Yaqoob *et al.*, "Advanced maximum power point tracking in photovoltaic systems: A comprehensive review of classical, AIBased, and metaheuristic optimization techniques," *Engineering Reports*, 2025.
- [20] T. Shanthi, R. P. Sudharshini, and U. U. Barathi, "CONVENTIONAL AND ARTIFICIAL INTELLIGENCE BASED MAXIMUM POWER POINT TRACKING ALGORITHMS FOR SOLAR PV INTEGRATION a COMPARATIVE STUDY," *International Journal of Engineering Applied Sciences and Technology*, 2025.
- [21] V. Eze, P. Bubu, C. I. Mbonu, O. F. C, and U. C. Nneoma, "AI-driven optimization of maximum power point tracking (MPPT) for enhanced efficiency in solar photovoltaic systems: A comparative analysis of conventional and advanced techniques," *INOSR EXPERIMENTAL SCIENCES*, 2025.
- [22] K. Selvan and I. Jude, "Advances in solar photovoltaic maximum power point tracking, smart grid integration, and cybersecurity challenges," *INOSR Scientific Research*, 2025.

- [23] L. Bhukya, N. R. Kedika, and S. R. Salkuti, "Enhanced maximum power point techniques for solar photovoltaic system under uniform insolation and partial shading conditions: A review," *Multidisciplinary Digital Publishing Institute*, 2022.
- [24] S. D. Al-Majidi, M. Abbod, and H. AlRaweshidy, "A novel maximum power point tracking technique based on fuzzy logic for photovoltaic systems," *Elsevier BV*, 2018.
- [25] M. Katche, A. B. Makokha, S. O. Zachary, and M. Adaramola, "A comprehensive review of maximum power point tracking (MPPT) techniques used in solar PV systems," *Energies*, 2023.