

Biomass Energy- Future of Global power Production

Chittaranjan Bhagwat Patil¹

¹ Assistant Professor, Mechanical Engg. Department, Padm. Dr. V. B. Kolte College of Engineering, MH, India

DOI: 10.5281/zenodo.19334085

ABSTRACT

This comprehensive review examines the pivotal role of biomass energy in the future of global power production, analyzing its potential as a dispatchable renewable resource critical for grid stability in a decarbonizing world. As global energy systems transition toward net-zero emissions by 2050, biomass is increasingly recognized not merely as a transitional fuel but as a cornerstone technology for difficult-to-decarbonize sectors and negative emission strategies. This paper synthesizes data from the International Energy Agency (IEA), the International Renewable Energy Agency (IRENA), and recent peer-reviewed literature to evaluate the technical, economic, and policy dimensions of modern bioenergy. The analysis covers the full value chain, from sustainable feedstock mobilization and advanced supply chain logistics to state-of-the-art conversion technologies, including Integrated Gasification Combined Cycle (IGCC), Hydrothermal Liquefaction (HTL), and Bioenergy with Carbon Capture and Storage (BECCS).

Keywords: - Biomass Energy, BECCS, Gasification, Power Generation, Renewable Policy, Sustainability.

1. INTRODUCTION

The global energy landscape is currently undergoing a seismic shift, precipitated by the urgent necessity to mitigate anthropogenic climate change and limit the rise in global average temperatures to 1.5°C above pre-industrial levels. In this rapidly evolving context, the decarbonization of the power sector has emerged as a primary objective for national governments and international bodies alike. While variable renewable energy (VRE) sources, specifically solar photovoltaics (PV) and wind power, have seen exponential growth and dramatic cost reductions, their inherent intermittency poses significant challenges to grid stability and reliability. As traditional fossil fuel-based baseload generators coal and natural gas are phased out, power systems increasingly require dispatchable renewable assets capable of providing firm capacity, system inertia, and ancillary services. It is within this niche that biomass energy, or bioenergy, asserts its critical value proposition. Biomass energy is derived from organic material, which stores sunlight in the form of chemical energy. Unlike VREs, biomass can be stored and utilized on demand, functioning effectively as a "renewable battery" inherent in the fuel itself. As of 2024, renewable energy consumption in the power, heat, and transport sectors is projected to increase by nearly 60% over the period 2024–2030. This surge boosts the share of renewables in final energy consumption to nearly 20% by 2030, up from 13% in 2023. Within this mix, electricity generation from renewable sources constitutes more than three-quarters of the overall rise.

Despite the dominance of solar and wind in capacity additions, modern bioenergy remains the largest source of renewable energy globally today, accounting for almost 55% of renewable energy consumption (excluding traditional biomass use) and over 6% of the global energy supply. The International Energy Agency's (IEA) Net Zero Emissions by 2050 (NZE) Scenario envisions a rapid increase in the use of modern bioenergy to displace fossil fuels. However, this pathway is not without obstacles. The sector faces a complex "trilemma" of challenges: proving its environmental sustainability against rigorous carbon accounting standards, achieving economic competitiveness in an era of cheap solar, and scaling up advanced conversion technologies that have historically struggled to bridge the gap between pilot and commercial operations.

2. GLOBAL CONTEXT AND ROLE OF BIOMASS

The strategic role of biomass extends beyond simple kilowatt-hour (kWh) production. It is deeply intertwined with broader socio-economic and environmental systems, including waste management, agricultural sustainability, and forestry economics. In emerging economies such as India and China, biomass power generation is increasingly viewed as a vital mechanism for managing vast quantities of agricultural residues such as rice straw and wheat stubble that would otherwise be burned in open fields, contributing to severe regional air pollution crises. By valorizing these residues, biomass power creates a circular economy loop that addresses both energy security and environmental health.

In the European Union, the context differs significantly. Here, biomass is heavily integrated into district heating networks and combined heat and power (CHP) systems, particularly in Scandinavian countries like Sweden and Finland. This integration maximizes thermal efficiency, often exceeding 85% in cogeneration mode, and reduces reliance on imported fossil fuels, a priority that has gained geopolitical urgency following the energy crisis of 2022.

From a technical grid perspective, biomass power plants typically operate using synchronous generators driven by steam turbines. This allows them to provide "system strength"—physical inertia that resists changes in grid frequency. This is a crucial service for maintaining power quality in grids with high penetrations of inverter-based resources like solar and wind, which do not inherently provide inertia. Consequently, transmission system operators (TSOs) and energy planners view biomass not just as a source of energy, but as a source of reliability.

3. REVIEW OBJECTIVES AND SCOPE

This comprehensive review aims to provide an exhaustive analysis of the current state and future prospects of biomass energy in global power production. It moves beyond a superficial overview to explore the complex interdependencies between feedstock availability, conversion efficiency, economic viability, and regulatory frameworks. By synthesizing recent data from 2023 to 2025, this report identifies the critical research gaps and deployment barriers that must be addressed to realize the full potential of biomass in a net-zero future.

4. CONVERSION TECHNOLOGIES

Biomass conversion technologies are broadly categorized into thermochemical, biochemical, and physio-chemical pathways. For utility-scale power generation, thermochemical routes are dominant. This section evaluates the technical maturity, efficiency, and recent advancements in these technologies.

4.1 Direct Combustion and Co-firing

Direct combustion remains the most mature and widely deployed technology, accounting for over 89% of the biomass power market in 2024. It involves burning biomass in a boiler to produce high-pressure steam, which drives a turbine.

4.1.1 Combustion Technologie:

Modern biomass combustion plants utilize various boiler designs. Stoker boilers are common for smaller capacities but suffer from lower efficiency. Fluidized Bed Combustion (FBC) boilers (both Bubbling and Circulating types) are preferred for utility-scale plants (over 50 MW). FBC technology suspends the fuel in a bed of hot sand and air, ensuring uniform combustion and allowing for the use of lower-quality, high-moisture fuels.

4.1.2 Co-firing Challenges:

Co-firing, burning biomass alongside coal in existing power plants is a rapid decarbonization strategy that leverages existing infrastructure. However, it presents significant technical challenges. Biomass typically contains high levels of alkali metals (potassium, sodium) and chlorine compared to coal. In the high-temperature environment of a coal boiler, these elements volatilize and then condense on cooler surfaces (like superheater tubes), leading to slagging (molten ash deposits) and fouling (sintered ash deposits). This reduces heat transfer efficiency and can cause accelerated corrosion. Recent studies indicate that co-firing ratios above 10-20% often require significant boiler modifications or the use of additives (like aluminosilicates) to mitigate these ash-related issues.

4.2 Gasification and IGCC

Gasification converts solid biomass into a combustible gas mixture (syngas) comprising hydrogen (H_2), carbon monoxide (CO), and methane (CH_4) by reacting the material at high temperatures ($>700^\circ C$) with a controlled amount of oxygen or steam.

4.2.1 Integrated Gasification Combined Cycle (IGCC):

IGCC systems integrate a gasifier with a gas turbine and a steam turbine (combined cycle). This configuration offers significantly higher electrical efficiencies (up to 40-50%) compared to direct combustion (typically 25-35%) because it utilizes the gas turbine cycle to extract more work from the fuel.

- **Commercial Status:** Despite its theoretical advantages, biomass gasification faces a "valley of death." High capital costs and technical reliability issues, particularly related to gas cleanup, have stalled commercial deployment. Recent reports note that technically successful projects in the UK and France have struggled to reach commercial scale due to financial barriers.

4.2.2 Tar Removal:

The "Achilles' heel" of biomass gasification is tar formation. Tars are heavy hydrocarbons that condense at lower temperatures, clogging pipes, engines, and turbines. Research in 2024-2025 has focused on developing robust catalysts for in-situ tar cracking. Nickel-based catalysts and natural minerals (olivine, dolomite) are widely studied.

4.3 Hydrothermal Liquefaction (HTL)

Hydrothermal Liquefaction (HTL) is an emerging technology particularly suited for wet biomass (sewage sludge, algae, food waste). Unlike combustion or gasification, which require dry feedstock (and thus energy-intensive drying), HTL processes biomass in hot, pressurized water (250–350°C, 5–25 MPa).

- **Process Mechanics:** HTL mimics the natural geological process of oil formation, converting biomass into a "bio-crude" oil in minutes.
- **Efficiency:** By avoiding the drying step, HTL improves the overall energy balance. It converts 40-50% of feedstock solids into bio-crude.
- **Market Outlook:** The global HTL market is valued at USD 1.15 billion in 2025, with rapid growth expected. The resulting bio-crude can be upgraded to drop-in transportation fuels or used for power generation in diesel engines.
- **Challenges:** Managing the aqueous phase (wastewater) generated during the process is a key challenge. Recent designs incorporate nutrient recovery (e.g., struvite fertilizer) to improve economics and environmental performance.

Table 1 Comparison of Biomass Conversion Technologies

Technology	Electrical Efficiency	Maturity (TRL)	Key Feedstocks	Primary Challenges
Direct Combustion	20% - 35%	Commercial (9)	Wood chips, Pellets, Straw	Low efficiency, PM emissions
Co-firing	35% - 40%	Commercial (9)	Pellets, Torrefied biomass	Slagging, fouling, corrosion
Gasification (IGCC)	40% - 50%	Demonstration (6-7)	Wood chips, Ag residues	Tar removal, high CAPEX
HTL	N/A (Liquid Fuel)	Early Commercial (7-8)	Sludge, Algae, Wet waste	High pressure, wastewater
Anaerobic Digestion	30% - 40% (Engine)	Commercial (9)	Manure, Food waste	Slow kinetics, digestate use

5. FUTURE OUTLOOK

The IEA's Net Zero Scenario requires bioenergy use to essentially double by 2050. However, current trends show growth is "off track".

- **2030 Outlook:** Global renewable power capacity is set to triple, but bio-energy's share of this growth is shrinking relative to solar/wind. Bio-energy is increasingly pivoting toward "hard-to-abate" sectors (aviation, shipping, high-grade industrial heat) rather than bulk electricity generation.
- **Emerging Pathways:** Biomass gasification is expected to play a growing role in producing green hydrogen and bio-methanol, particularly for the marine sector.
- **Research Priorities:** Future research must focus on reducing the energy penalty of BECCS, optimizing biomass plants for flexible "load-following" operation, and diversifying feed stocks to include algae and invasive species.

6. CONCLUSION

Biomass energy stands at a critical juncture in the global power production landscape. It is no longer viewed simply as a low-tech burning of wood, but as a sophisticated, multi-faceted component of the Net Zero transition. Its future role is distinct from wind and solar: it is the provider of firm capacity, the facilitator of negative emissions through BECCS, and the source of renewable carbon for fuels and chemicals.

However, this potential is bounded by strict physical and environmental realities. The era of unregulated biomass expansion is over. The future belongs to high-efficiency technologies like IGCC and HTL, and to supply chains that can rigorously prove their sustainability. The diverging cost trajectories with biomass remaining expensive while other renewables cheapen means that biomass will likely not be the primary source of new *energy* (kWh), but a premium source of *capacity* (kW) and *carbon services*. For policymakers, the challenge lies in designing market mechanisms that value these specific attributes dispatchability and carbon removal, rather than merely paying for energy generation.

7. REFERENCES

- [1] International Energy Agency (IEA), “Renewables 2024 – Global Overview,” 2024, [Accessed: Jan. 14, 2026].
- [2] International Energy Agency (IEA), “Bioenergy,” [Accessed: Jan. 14, 2026].
- [3] IEA Bioenergy, “Status Report on Gasification in IEA Bioenergy Member Countries,” [Accessed: Jan. 14, 2026].
- [4] Down To Earth, “Government Releases Policy for Co-firing Municipal Solid Waste Charcoal in Coal Thermal Power Plants,” [Accessed: Jan. 14, 2026].
- [5] IEA Bioenergy, “Countries' Report – Update 2024,” 2024, [Accessed: Jan. 14, 2026].
- [6] “A Study for Development Suitability of Biomass Power Generation Technology Based on GHG Emission Reduction Benefits and Growth Potential,” PubMed Central, 2022, [Accessed: Jan. 14, 2026].
- [7] “Global Bioenergy Potentials...” PubMed Central, [Accessed: Jan. 14, 2026].
- [8] U.S. Department of Energy (DOE), “DOE Releases Report Outlining How America Can Sustainably Produce More Than One Billion Tons of Biomass Per Year,” [Accessed: Jan. 14, 2026].
- [9] World Bioenergy Association, “Global Bioenergy Statistics Report,” 2024, [Accessed: Jan. 14, 2026].
- [10] IEA Bioenergy, “Implementation of Bioenergy in China,” 2024, [Accessed: Jan. 14, 2026].
- [11] International Renewable Energy Agency (IRENA), “Scaling Up Biomass for the Energy Transition: Untapped Opportunities in Southeast Asia,” 2022, [Accessed: Jan. 14, 2026].
- [12] IEA Bioenergy, “Integrating Bio-hubs in Biomass Supply Chains,” 2025, [Accessed: Jan. 14, 2026].
- [13] “Life Cycle Assessment of Torrefied Residual Biomass Co-Firing in Coal-Fired Power Plants: Aspects of Carbon Dioxide Emission,” MDPI, 2024, [Accessed: Jan. 14, 2026].
- [14] KNN India, “Six Coal-Based Power Plants Face Rs 61.85 Cr Penalty for Biomass Norm Lapses,” [Accessed: Jan. 14, 2026].
- [15] IEA Bioenergy, “Implementation of Bioenergy in the European Union – 2024 Update,” 2024, [Accessed: Jan. 14, 2026].
- [16] ClientEarth, “Wiser with Wood,” [Accessed: Jan. 14, 2026].